Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1923	((600/585) or (604/524) or (600/434) or (604/528) or (600/433) or (600/435)).CCLS.	USPAT; USOCR	OR	OFF	2006/02/10 08:28
L2	5	L1 and jaw with actuat\$3	USPAT	OR	ON	2006/02/10 08:31
L3	59	L1 and jaws	USPAT	OR	ON	2006/02/10 08:31
S1	1050	(600/585).CCLS.	USPAT; USOCR	OR	OFF	2006/02/09 11:05
S2	49	S1 and pull adj wire	USPAT	OR	OFF	2006/02/08 10:32
S3	25	S1 and (varying or variable) with (thickness or thickening)	USPAT	OR	OFF	2006/02/08 10:37
S4	4	S1 and coat\$3 with (varying or variable) with (thickness or thickening)	USPAT	OR	OFF	2006/02/08 10:40
S5	8	guide adj wire and coat\$3 with (varying or variable) with (thickness or thickening) and pull adj wire	USPAT	OR	OFF	2006/02/08 10:46
S6	22	guide adj wire and coat\$3 with (varying or variable) with (thickness or thickening)	USPAT	OR	OFF	2006/02/08 10:52
S7	20	S6 not S3	USPAT	OR	OFF	2006/02/08 10:47
S8	20	guidewire and coat\$3 with (varying or variable) with (thickness or thickening)	USPAT	OR	OFF	2006/02/08 10:52
S9	9	S8 not S7	USPAT	OR	OFF	2006/02/08 10:53
S10	165	600/585.ccls. and coat\$3 with distal	USPAT	OR	OFF	2006/02/08 11:29
S11	59	600/585.ccls. and coat\$3 with distal with coil	USPAT	OR	OFF	2006/02/08 15:55
S12	85	guidewire and coat\$3 with distal with coil	USPAT	OR	OFF	2006/02/08 15:55
S13	1158	guidewire and variable or varying with coat\$3 with distal with coil	USPAT	OR	OFF	2006/02/08 15:56
S14	1	guidewire and (variable or varying) with coat\$3 with distal with coil	USPAT	OR	OFF	2006/02/08 15:56
S15	1050	(600/585).CCLS.	USPAT; USOCR	OR	OFF	2006/02/08 15:57

S16	49	("5497783" "5639277" "5690666" "5718711" "5826587" "6039700" "5312415" "5725546" "5895391" "5891114" "4763647" "5313967" "5372144" "5387219" "5423829" "5522836" "5606981" "5643254" "5645082" "5669905" "5685322" "5702373" "5725534" "5743905" "5833705" "5881732" "5882334"	USPAT	OR	OFF	2006/02/09 08:38
		"5885227" "5891112" "5891128" "5911731" "5935148" "5960796" "5964797" "5984929" "6004338" "6022340" "6036720" "6063104" "6074407" "6123714" "6143013" "6156061" "6159187" "6383205" "6425893" "6425914" "5299580" "5458605").pn.				
S17	1050	(600/585).CCLS.	USPAT; USOCR	OR	OFF	2006/02/09 11:12
S18	511	S17 and coat\$3	USPAT	OR	OFF	2006/02/09 14:18
S19	262	604/524.ccls.	USPAT	OR	OFF	2006/02/09 13:40
S20	116	S19 and coat\$3	USPAT	OR	OFF	2006/02/09 13:52
S21	375	600/434.ccls.	USPAT	OR	OFF	2006/02/09 13:52
S22	170	S21 and coat\$3	USPAT	OR	OFF	2006/02/09 13:53
S23	26	("3452740" "3452742" "3503385" "3521620" "3528406" "3547103" "3625200" "3789841" "3841308" "3906938" "3973556" "4003369" "4020829" "4215703" "4456017" "4538622" "4545390" "4554929" "4619274" "4641654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:11
S24	47	("4813434").URPN.	USPAT	OR	OFF	2006/02/09 14:17
S25	420	604/528.ccls.	USPAT	OR	OFF	2006/02/09 14:17
S26	170	S25 and coat\$3	USPAT	OR	OFF	2006/02/09 14:17
S27	143	S26 not S22	USPAT	OR	OFF	2006/02/09 14:18
S28	139	S27 not S20	USPAT	OR	OFF	2006/02/09 14:18
S29	1050	(600/585).CCLS.	USPAT; USOCR	OR	OFF	2006/02/09 14:18
530	511	S29 and coat\$3	USPAT	OR	OFF	2006/02/09 14:18
S31	93	S28 not S30	USPAT	OR	OFF	2006/02/09 14:27
S32	102	600/433.ccls.	USPAT	OR	OFF	2006/02/09 14:28
S33	28	600/433.ccls. and coat\$3	USPAT	OR	OFF	2006/02/09 14:29
S34	64	600/435.ccls. and coat\$3	USPAT	OR	OFF	2006/02/09 14:30
S35	59	S34 not S31	USPAT	OR	OFF	2006/02/09 14:30
S36	56	S35 not S33	USPAT	OR	OFF	2006/02/09 14:36

S37	178	guidewire and coil and coat\$3 and	USPAT	OR	OFF	2006/02/09 14:48
537	178	pull with (wire or string)	USPAT	OK		2000/02/03 14.40
S38	39	var\$6 with thickness with coat\$3 and guidewire	USPAT	OR	OFF	2006/02/09 15:01
S39	0	600/585.ccls. and perimeter with coat\$3	USPAT	OR	OFF	2006/02/09 15:01
S40	1	600/585.ccls. and perimeter with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/09 15:02
S41	16	guidewire and perimeter with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/09 15:04
S42	8	guide adj wire and perimeter with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/09 15:12
543	163	guide adj wire and partial with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/09 15:21
S44	1	600/585.ccls. and pull adj wire and jaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 15:21
S45	153	guidewire and pull adj wire and jaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 15:26
S46	79	guidewire and pull adj wire and jaw	USPAT	OR	ON	2006/02/09 15:30
S47	1035	600/585.ccls.	USPAT	OR	ON	2006/02/09 15:30
S48	67	600/585.ccls. and pull adj wire	USPAT	OR	ON	2006/02/09 15:53
S49	13	600/585.ccls. and coil with pull adj wire	USPAT	OR	ON	2006/02/09 16:33
S50	1923	((600/585) or (604/524) or (600/434) or (604/528) or (600/433) or (600/435)).CCLS.	USPAT; USOCR	OR	OFF	2006/02/09 16:34
S51	4	S50 and pull with wire and jaw	USPAT	OR	ON	2006/02/09 16:35
S52	2	S50 and pull adj wire and jaw	USPAT	OR	ON	2006/02/09 16:36
S53	8	S50 and jaw with separat\$3	USPAT	OR	ON	2006/02/09 16:40
S54	85	S50 and stretch\$3 with coil	USPAT	OR	ON	2006/02/09 16:41